Q-DOC Quality Documentation Software






The SOTAX Q-Doc Quality Documentation Software for automated control, reporting and data management for the in-process control measurements of tablets


- Electronic reporting and data management for the R&D, Quality Control and Production laboratories
- Record Batch and Lot measurements to include weights, thickness, hardness, disintegration, friability and powder flow results
- > 21 CFR Part 11 compliant software with network and LIMS connections
- Automated control of the SOTAX family of hardness testers, disintegration, friability and powder flow testers


www.sotax.com e-mail info@sotax.com 👔

Q-DOC Quality Documentation Software









Q-Doc software is the quality documentation package for SOTAX physical test equipment including the following:

- Disintegration Tester SOTAX DT 2 / DT 3
- Flowability Tester SOTAX FT 300
- Hardness Tester SOTAX HT 1
- Hardness Tester SOTAX HT 10
- Hardness Tester SOTAX HT 100
- Balance (Mettler)

Main features

- Designed for Microsoft Windows 2000/XP/Vista
- User-friendly, users see menus and dialogs for their hardware respective of device configuration and user rights
- LIM System:
 - Data acquisition from different instruments
 - Calculate data for preset product specifications
 - Decision for product specifications
 - Simple pass / fail of batch
 - Archive
 - Reports of each specification and batch
- Network environments, e.g.:
 - Single system with one or more devices
 - Two PC's each connected with one or more devices
 - Server solutions can be tailored to your specific requirements
- Graphic view of devices with real time status (see pictures)
- > Data from different devices can be collected simultaneously
- Data export to Excel
- Delayed start function
- > Automated decision in principle, using electronic signature for confirmation
- Different search functions allow the status of every batch in every product to be seen
- Help system for administrators and users
- Context-based online help system
- Currently available in English or German language

Benefits

- Easy and unique menu-driven software handling
- Increased productivity through full automation
- Anytime information of product and batch status
- Support for customers validation including user requirements' specification, risk analysis, installation and operating qualification



		Flowability - Report of Automatic Measurement									18.08.2
	11	Sotax	rest	Produc	τ						
тксла-сн	facel										
	Report of	Outomati	c Meas	urement				_		1002201	Page Las
Sot	ax Tes	t Prod	uct								
										-1	
Protect		u			DATE NO.	: pro	test			- 11	333
										ape 1 et 1	303
t Conditio	ne										
Drate:		20 FT 100		Decoup	on		41	. 5%	-T1- 51		
seate.		a = 1 = 0.0		of the P	0.0	~	12		-TI- 101 -TI- 301	: 1	
								Or Ad	rage)		
	ues (n=20, r									— I	
204.9	251.2	205.0	205.8	206.2	208.8	209-0	209.2 213.9	209.2	208.9	- 11	
To building	comply at its for	redenera.	of .5+1044+							- 11	
	205 d kg	Ta 61		Ta 10%		2++ 10 N				- 11	
		(100.3	220.3 #40	0.000	0396)					- 11	xe.
	Jes (n=100)			11-22							
204.9	204.9	20+9 206.4	206.0 206.0	205.5	205.2 205.6	206.8	205.0	206-0	206.5	- 11	
207.3	A 100	201 A 209-0	201.0	208.1	208.2	208.3	208.7 209.2	208.7	208.8 208.6	- 11	
208.6	243.3	209-8	205.6	246.7	208.1	2083	209.9	210.2	2102	- 11	
211.3	211.4	211.4	211.5	2116	281.3	2112	211.0	2020	202	- 11	
210.4	212.6	206	213.7	213.9	213.9	21329	213.9	203	214.2	- 11	
listics											
1,000	2 K2 mg		1. 3	.30 mg			en co				107
				84						- 11	
Out of T2			100 -	115				0 wy 3 wy		- 11	
es Distrib	dian.										
21.0			_	_			20 FLESH Cas			-	
		;=					The se Cas	s. vo likeli		-711	
2010	207.944	:=							in	< 1	
209.0	200.9 md	1		_				~	-	- 1 1	
211.1	212.0.84	12					10	1		- † H	
2(2.)	213.0 mg	:=					1			- 1 1	441454
214.2	210,214		_				21.2	Pre		2940	Solar
ments											8.8.90
										- 11	
										- 11	
TAX - Sola	0.2004-3014/37 (AQ)	104						Cleanal	10TAX	Setax A9	
				6.2m*							

Report


- Reports for measurement analysis
- Reports for different methods of one product
- Includes requirement, raw data and results
- Signed reports cannot be edited
- Restore every time from data base
- > Your company logo can be inserted into the report

Environments




Single system:

Data acquisition of one or more devices. Data and the results are stored in the analysis report.




Analysis reports of flowability (FT 300) and weight (HT 100)



Master report of different product specifications (test items) of one batch: This report includes the different test items (e.g. disintegration, flowability, weight, height, hardness etc.) with the results. Two PC's connected:

Simultaneous data acquisition from both PC's. Data is stored in one PC.




Server-based:

Each user has different rights for each different device. This can be tailored to customers' requirements.

Q-DOC Quality Documentation Software





User rights

ettings
Local Global Security Reports Label Autom Texts Audit Trail
Use Administration Use New Use New Use New Use New Use New Use New Dest New
✓ F8 Save 🗙 ESC Cancel

Audit trail level



Q-Doc validation

Q-Doc was developed and structurally validated following a quality system which conforms to GMP and ISO 9001 requirements. A standard development life cycle has been followed. It fulfils the requirements of the rules and regulations of 21 CFR Part 11.

The output of this life cycle includes the following documents:

- Product description
- Software quality plan
- Functional specification
- Test plan
- Test procedures and test data
- Software release notice and revision control
- Source code documentation

The existence of these documents and the procedure used in their production are formal requirements of the SOTAX quality system. The integrity of this quality system is routinely audited. These documents are available for review on site and will require a nondisclosure agreement to be signed by those requiring access to the information.

21 CFR Part 11 compliance

Complies to the rules and regulations of 21 CFR Part 11 – Electronic Records; Electronic Signatures; Final Rule from FDA Department of Health and Human services, dated on March 20, 1997.

- Fully 21 CFR Part 11 compliant
- High security through closed system with password access and different assignable user rights. Periodic password changes and deactivation after failed log-in
- Raw data is stored and can be recalled for verification at any time, original methods saved and method changes are recorded as a new version with time/date stamps
- Complete audit trail for access, tests and master data
- > Electronic signature required for judgement and administrative tools

Minimum hardware and software requirements

Pentium III, 450 MHz 64 MB RAM Screen resolution 1024 x 768 2 GB hard disk space Operating system Microsoft NT/2000/XP/Vista Terminal Server